

WW Veneziano, Canvas, Leather

PRODUCT DESCRIPTION

Polymeric calendered self-adhesive printing media with textured finish and High-Tack adhesive.

Face Material:

WW Veneziano: 300 µm, 300 g/sqm white matt PVC WW Canvas: 250 µm, 320 g/sqm white matt PVC WW Leather: 225 µm, 320 g/sqm white matt PVC

Adhesive: Solvent acrylic High-Tack permanent

Liner: Clay coated 135 g/sqm FSC® certified (FSC Mix Credit, chain-of-custody number: CU-COC-807907, Licence Code: C004451).

TYPICAL USE

Short to medium-term indoor and outdoor applications on flat smooth surfaces dedicated to wall decoration. The textured finishes enhance interior decorations and personalization of spaces. The High-Tack solvent-based grey adhesive ensures good opacity and adhesion on a wide variety of smooth substrates.

PROCESSING

Especially designed for solvent based, eco-solvent, mild solvent, Latex and UV inkjet printing on wideformat printing equipment.

Due to the textured face material, WW Veneziano, WW Canvas and WW Leather are not intended to be laminated.

To achieve the best possible print quality, please make sure that the correct ICC profiles or printer settings are used.

Profiles can be obtained from our subsidiaries or distributors, or can be downloaded from: www.mactacgraphics.eu.

For further information on printing, application and removal, please refer to "TB 4.3 Guidelines on surface preparation, converting and applying Mactac WW Series".

To ensure application suitability, always test the proposed construction under actual application and end-use conditions before going into full production.

SHELF LIFE

1 year when stored at 15 to 25°C and ± 50 % relative humidity (in the original packaging).

PHYSICAL PROPERTIES (TYPICAL VALUES) Average Values Test Method

Ave	erage V	alues	Tes	t Method			
Thickness	Thickness						
Face caliper (microns):							
WW Veneziano		300 µ	m				
WW Canvas		250 μ	m	ISO 534			
WW Leather		225 µm					
Face weight (g/sqm):							
WW Veneziano		300 g	/sqm				
WW Canvas		320 g	/sqm				
WW Leather		320 g	/sqm				
Adhesive data, 23°C (N/	[/] 25 mm)						
Peel adhesion on stainle	ss steel						
- Quick tack:							
WW Veneziano	25						
WW Canvas	25		FTM	9			
WW Leather	26						

Disc		
WW Leather	27	
WW Canvas	23	FTM1
WW Veneziano	24	
- 24 hour residence:		
WW Leather	26	
WW Canvas	25	FTM9
WW Veneziano	25	
- Quick tack:		

Dimensional stabi	Dimensional stability				
Shrinkage (1 week at 70°C applied on Aluminium)	Max. 0.8 mm	F	ГМ14		
Temperature ranges					
Minimum application temperature (°C)			+ 10°C		
Service temperature range (°C)			- 20°C to + 70°C		
Certifications					

EXPECTED DURABILITY

Central Europe Zone 1

Fire Classification

Unprocessed (indoors)	3 years	ISO 4892-2
-----------------------	---------	------------

B-s2 d0



EN13501-1

Note: Exposure to severe temperatures, ultraviolet light, and/or conditions in Southern European countries, tropical, sub-tropical or desert regions will cause more rapid deterioration. This also applies to polluted areas, high altitudes and south-facing exposure.

Avery Dennison warrants that its Products meet its

DISCLAIMER

specifications. Avery Dennison gives no other express or implied guarantees or warranties with respect to the Products, including, but not limited to, any implied warranties of merchantability, fitness for any particular use and/or non infringement. All Avery Dennison products are sold with the understanding that the purchaser has independently determined the suitability of such products for its purposes. The period of warranty is one (1) year from the date of shipment unless expressly provided otherwise in the product data sheet. All Avery Dennison's products are sold subject to Avery Dennison's general terms and conditions of sale, see http://terms.europe.averydennison.com. Avery Dennison's aggregate liability to Purchaser, whether for negligence, breach of contract, misrepresentation or otherwise, shall in no circumstances exceed the price of the defective. non-conforming, damaged or undelivered Products which give rise to such liability as determined by net price invoices to Purchaser in respect of any occurrence or series of occurrences. In no circumstances shall Avery Dennison be liable to Purchaser for any indirect, incidental or consequential loss, damage or injury, including without limitation, loss of anticipated profits, goodwill, reputation, or losses or expenses resulting from third party claims.

