



GRAPHIC APPLICATIONS 2020 AUSTRALIA





#### **ABOUT US**

Proven, trusted solutions. European leader, with over 50 years experience delivering consistently outstanding results.

Mactac's roots can be traced back to the 1940s in the United States, when the entrepreneur Burt Morgan began manufacturing medical and masking tapes. Over the next decade Burt began embracing a broader vision and in the 1950s he teamed up with Greg Bemis Sr. of the Minneapolis-based Bemis Bag Company on a new venture. With Bemis' faith and financial backing, Morgan Adhesive Company was officially incorporated in January of 1959. Mactac was born. The European plant was established in Soignies (Belgium) in 1967.

As a real driver of innovation, Mactac places its customers and their needs at the heart of its development strategy, responding to emerging requirements and developing tailor-made solutions. A wide array of products brings benefits to many applications within the graphic and decoration industry.

Mactac combines high quality in-house manufacturing with R&D excellence, building strong partnerships with customers and ensuring a keen focus on sustainability. Mactac Europe SPRL separated from Mactac North America and was acquired by Avery Dennison as of August 2016.

The synergies between Mactac Europe and Avery Dennsion were natural as they share the same driving principles, whilst providing distinct product offerings. Now with the backing of Avery Dennison's global network, warranty and technical expertise Mactac is available across the world.

#### What does Mactac offer you?

Supported by a strong network of distributors Mactac pressure-sensitive adhesive products come in an extensive range of core & speciality print, and signage solutions, optimised to meet the high quality demands and challenging climatic conditions of Australia & New Zealand. We supply solutions for:

- Branding & Signage
- Walls & Decorations
- Windows & Glass
- Advertising and Promotions
- Floor & Street Graphics



Avery Dennison acquired Mactac Graphics Europe in 2016.





## Established and highly qualified local support backed and warranted by global leader Avery Dennison.

Mactac has over 50 years experience in manufacturing excellence, all around the world. We are committed to quality and don't mind putting our money where our mouth is, which is why every Mactac Graphics product in this catalogue is backed by our comprehensive warranty.

In the rare event trouble arises we also have a team of dedicated technical specialists across Australia and New Zealand with vast experience across all facets of signage and digital print products, installations, and applications. We're there to support you and help drive the best possible outcome for you and your customers.

For terms and conditions and more information on our warranty, please access online at graphicsap.averydennison.com/mactac-warranty

Now part of the Avery Dennison corporation Mactac comes backed by established and highly qualified local support, and reassuring warranty.







# THE INTERNATIONAL AWARD FOR MACTAC USERS

The Mactac Creative Awards are committed to highlighting the most creative projects made with Mactac products. Whether you're the creative behind the idea, a production company, or an installer we'd love to share your project. Your creativity is highly rewarded.






# Every Entry is a Winner for Your Business



- **\*** Every month you can submit your most creative projects
- ★ The public can vote for your project
- \* A professional jury judges your project
- ★ The winner gets announced
- Mactac promotes your project and your business
- Download free tools for online marketing
- Win exposure up to 1 million impressions online
- ★ Win up to €7000 on a yearly base\*

\*Prize money will be converted to local currency of AUD or NZD at time of prize.





### **MACal 9800 Cast**

### Premium Cast Sign Cut Film



- High-Tack (HT) and Bubble Free (BF) versions in black and white as well as custom colours
- High quality pigments and a solvent adhesive formulation avoid colour fading, cracks, edge-lifting, & shrinkage
- Efficient cutting and weeding of even small letters, with outstanding controlled release

- Long-term vehicle marking (car, trucks, boats)
- Window graphics, decorative & retail signage panels
- Branding applications including surfaces with rivets and corrugations

P	Product	MACal 9800 Cast	MACal 9800 Cast BF	MACal 9800 Cast HT
	Technology	Cast PVC	Cast PVC	Cast PVC
<b>®</b>	Finish	Gloss, Matt	Gloss	Gloss, Matt
8	Colours	White, Black, Colour Match	White, Black, Colour Match	White, Black, Colour Match
	Caliper	66µm	66µm	66µm
@	Adhesive	High-performance acrylic solvent, permanent	High-performance acrylic solvent, permanent, Bubble Free	High-performance acrylic solvent, permanent, High-Tack
<b>(B)</b>	Liner	135 gsm, Kraft paper, blue contrast (white films)	135 gsm, Kraft paper, blue contrast (white films)	135 gsm, Kraft paper, blue contrast (white films)
<b>**</b>	Widths (m)	1.23	1.23	1.23
	Durability	10 years (black and wh	nite) up to 8 years (colours) 5 y	years (metallic colours)

### MACal 9800 Pro

### High-Performance Polymeric Sign Cut Films




- Extensive (117) range of gloss, metallic and matt colours, with colour matching and adhesive options to meet your every need:
- 4 High-Tack grades: Black and White matt and gloss
- 2 Bubble-Free grades: Black and White gloss
- Efficient cutting and weeding of even small letters, with outstanding controlled release

- · Long-term vehicle marking (cars, trucks, boats)
- Window graphics, decorative & retail signage panels
- Branding applications

Product	MACal 9800 Pro	MACal 9800 Pro BF	MACal 9800 Pro HT	
Technology	Polymeric calendered PVC	PVC	PVC	
S Finish	Gloss, Matt	Gloss	Gloss, Matt	
<b>Colours</b>	White, Black, Colour Match	White, Black, Colour Match	White, Black, Colour Match	
Caliper	66µm	66µm	66µm	
Adhesive	High-performance acrylic solvent, permanent	High-performance acrylic solvent, permanent, Bubble Free	High-performance acrylic solvent, permanent, High-Tack	
Liner	135 gsm Kraft paper, blue contrast (white films)	135 gsm Kraft paper, blue contrast (white films)	135 gsm Kraft paper, blue contrast (white films)	
Widths (m)	1.23	1.23	1.23	
Durability	8 years (black and	8 years (black and white) 7 years (colours) 5 years (metallic colours)		
Substrates	Glass / Pl	Glass / Plexiglass, Metal, Non-porous substrates		

## JT 9700 Series

### Premium Polymeric Digital Inkjet Films



• Fully compatible with LF 9700 & PERMAfun (both compatible with UV cured

- Applications:
- Displays, shop windows and signage

inks) and LAG 100 laminating films

- Point of Sale
- Bus, lorry and vehicle decoration

Print Film	JT 9700 WG-BFG	JT 9700 WG-PG	JT 9700 WG-PT
Adhesive	Bubble-Free Grey	Permanent Grey	Permanent Transparent
Liners	145 gsm 2s PE coated Kraft paper	135 gsm 2s PE coated Kraft paper	135 gsm 2s PE coated Kraft paper
Widths (m)	1.37 & 1.6	1.37 & 1.6	1.37 & 1.6

Laminating Film	LF 9700 CG-UV	LF 9700 CM-UV	PermaFun	LAG 100
<b>Solution</b> Finish	Clear Gloss	Clear Matt	Textured	Satin
Adhesive	Permanent Transparent	Permanent Transparent	Permanent Transparent	Permanent Transparent
Widths (m)	1.37 & 1.6	1.37 & 1.6	1.37	1.37

## LF 9700 Series

### Premium Polymeric Laminating Films



- Also compatible with media printed with solvent, eco-solvent & latex inks
- Enhance colours of the prints
- · Customize the media with homogeneous gloss or matt finish

- Protection of printed media JT 9700 Series
- Vehicles, buses, trucks, displays, shop windows
- · Point of Sale

Laminating Film	LF 9700 CG-UV	LF 9700 CM-UV
<b>S</b> Finish	Clear Gloss	Clear Matt
Adhesive	Permanent Transparent	Permanent Transparent
Liner	100 gsm clay coated Kraft paper	100 gsm clay coated Kraft paper
Widths (m)	1.37 & 1.6	1.37 & 1.6

### JT 9500 Series

### Intermediate Polymeric Digital Inkjet Films




- Promotional and commercial displays, shop windows and signage
- · Point of Sale

Print Film	JT 9500 WG-BFG	JT 9500 WG-PG	JT 9500 WG-PT
Adhesive	Bubble-Free Grey	Permanent Grey	Permanent Transparent
Liners	Two side PE coated paper, 140g/m²	Two side PE coated paper, 140g/m²	Two side PE coated paper, 140g/m²
Widths (m)	1.37 & 1.6	1.37 & 1.6	1.37 & 1.6

Laminating Film	LF 9500 CG	LF 9500 CM	LF 9700 CG-UV	LF 9700 CM-UV	PermaFun
<b>S</b> Finish	Clear Gloss	Clear Matt	Clear Gloss	Clear Matt	Textured
Adhesive	Permanent Transparent	Permanent Transparent	Permanent Transparent	Permanent Transparent	Permanent Transparent
Liners	100 gsm clay coated Kraft paper				
Widths (m)	1.37 & 1.6	1.37 & 1.6	1.37 & 1.6	1.37 & 1.6	1.37

### LF 9500 Series

### Intermediate Polymeric Laminating Film




- Enhance colours of the prints
- · Customise the media with homogeneous gloss or matt finish

- Protection of printed media JT 9500 Series
- Promotional and commercial displays, shop windows and signage
- Point of Sale

Laminating Film	LF 9500 CG	LF 9500 CM
<b>Solution</b> Finish	Clear Gloss	Clear Matt
Adhesive	Permanent Transparent	Permanent Transparent
Einer	100 gsm clay coated Kraft paper	100 gsm clay coated Kraft paper
Widths (m)	1.37 & 1.6	1.37 & 1.6

### **PG 7034**

### Dry Erase Laminating Film



# **LUV 7036**Anti-Graffiti Laminating Film



#### Features & Benefits:


- High gloss optically clear polyester film (PVC-free) reduces colour fade from UV exposure
- Clear high tack adhesive does not influence the pH level of substrate surface
- Clear polyester liner providing optical clarity
- Suitable for solvent & eco-solvent digital inks
- Graffiti easily removed with common solvents

#### **Applications:**

• For overlamination and protection of prints from graffiti

### **LAG 100**

### Anti-Graffiti Laminating Film for Uneven Surfaces



• Suitable for use with JT 9700 Series and WW100 for

difficult outdoor surfaces





### **MACal 8300 Pro**

### Intermediate Sign Cut Film



- A wide range (47) of colours to meet your intermediate signage needs
- Permanent acrylic adhesive with up to 5 years outdoor durability delivers stability for our climatic conditions
- Trouble-free cutting and weeding even of small letters thanks to perfectly controlled release

#### **Applications:**

- Signage & marking
- Medium-term events or corporate communication
- Vehicle and fleet marking
- Point of sale
- Exhibition, Wall and Window decoration

Product	MACal 8300 Pro

Technology

Monomeric PVC

Finish

Gloss and Matt 45 Gloss, 2 Matt

Colours

70μm

CaliperAdhesive

Acrylic solvent, permanent

Liner

135 gsm Kraft paper, blue contrast (white films)

Widths (m)

1.23

Durability

Outdoor 5 years: black and white. 4 years: all colours

Substrates

Glass / Plexiglass, Metal, Non-porous substrates

### JT 8500 Series

### Monomeric Digital Inkjet Films




- Install easily on flat surfaces
- 3 year outdoor unprinted durability
- Fully compatible with LF 8500, LUV 6300, LUV 6301 & PG 7034 laminating films

- Specially developed for short term applications
- Suitable for flat non-porous surfaces
- Promotional signage
- · Point of Sale

Pr	oduct	JT 8500 WG-PG BF	JT 8500 WG-RG BF	JT 8500 WG-PT	JT 8500 WG-RG	
<b>@</b>	Adhesive	Permanent Bubble-Free Grey	Permanent	Permanent Transparent	Removable Grey	
	Liner	140 gsm 2s PE coated kraft paper				
<b>**</b>	Widths (m)	1.37 & 1.6	1.37 & 1.6	1.37 & 1.6	1.37 & 1.6	

### LF 8500 Series

### **Monomeric Laminating Films**



- Applications:
- Protection of printed media JT 8500 Series
- Short term indoor & outdoor applications on flat surfaces


· Customize the media with homogeneous gloss or matt finish

- · Promotional signage
- Point of Sale

Product	LF 8500 CG	LF 8500 CM	
S Finish	Clear Gloss	Clear Matt	
Adhesive	Permanent Transparent	Permanent Transparent	
Liner	90 gsm clay coated kraft paper	90 gsm clay coated kraft paper	
Widths (m)	1.37 & 1.6	1.37 & 1.6	

### **JT 8300 Dot**

### Digital Inkjet Promotional Film



- Monomeric calendered PVC films combined with dot pattern adhesive allow easy & fast application without water or special tools
- Good printability on all main platforms
- Excellent transparency with minimum interference of dots on the Clear Gloss-RT Dot variant makes it very effective as a window film
- · Good adhesion power on glass and smooth surfaces

#### **Applications:**

 Perfect choice for short term communication or advertising campaigns such as Christmas or Easter discounts, promotional activities, product launches, temporary exhibitions, trade shows

#### **Product**

#### Technology

Finish

Adhesive

Liner

Widths (m)

Durability

#### JT 8300 White Matt-RT Dot

Monomeric calendered PVC films

White Matt

Clear Removable

140 gsm coated Kraft paper

1.37 & 1.524

1 year (indoor)

#### JT 8300 Clear Gloss-RT Dot

Monomeric calendered PVC films

Clear Gloss

Clear Removable

140 gsm coated Kraft paper

1.37 & 1.524

1 year (indoor)

#### **MACal 1069 Silver Mirror**

Sign Cut PET Promotional Film



- Dual-sided metallised PET film delivers a beautiful mirror-like effect to cut-out letters and patterns
- Cuts very easily on the plotter, even in the case of small lettering and fine lines, making handling easy
- Very good dimensional stability means negligible shrinkage

#### **Applications:**

- Medium term interior and short term exterior marking applications on flat surfaces; windows, signs, flat vehicle surfaces
- Cut-out letters and patterns, premium appearance on shop windows, walls, partitions and panels

#### **MACal 8000 Fluorescent**

Sign Cut Promotional Film



- to highlight your promotional signage
- Clean, quick, trouble-free cutting with most plotters for greater efficiency
- Specially designed for your short term (3-6 months) outdoor promotional needs

#### **Applications:**

Product

• Decoration, pre-spaced texts and logos for short-term promotional campaigns

**MACal 8000 Fluorescent** 

• External and internal use on windows, display panels, exhibition walls

Product	MACal 1069 Silver Mirror
Technology	Metallised PET film
Finish	Silver gloss
<b>Colours</b>	Mirror
Caliper	120µm
Adhesive	Acrylic solvent, permanent
Liner	135 gsm, Kraft paper
Widths (m)	1.23
Durability	Indoor 3 years, Outdoor 6 months
Substrates	Glass / Plexiglass, Metal, Non porous substrates
	•

Technology Sinish	Monomeric PVC
© Colours	Fluorescent
Caliper	110μm
Adhesive	White acrylic solvent, semi-permanent
Liner	135 gsm, Kraft paper
Widths (m)	1.23
Durability	Outdoor 3-6 months
Substrates	Glass / Plexiglass, Metal, Non porous substrates

### **MACmask**

### **Paint Masking Films**

### **MACphospho 110** Glow in the Dark Film



 Specifically developed for producing paint masks on curtain-sided substrates, it is highly resistant to plasticisers. The powerful adhesive with excellent wetting properties prevents paint infiltrating under the adhesive, resulting in neat edges around work

#### **MACmask 28.180**


• White soft calendered vinyl film coated with a removable acrylic adhesive, specifically designed as a masking film for stenciling onto car bodies



- visible to human eye
- Illuminates after natural or artificial light exposure, easily recharging effectiveness

- Emergency evacuation, general safety and caution warning signs
- Escape routes, eg. for marking exits, directions
- Public buildings, tunnels, military shelters, ships, safety boats

Product	MACmask 84.817	MACmask 28.180	Product	MACphospho 110
Technology	Monomeric PVC	Monomeric PVC	Technology	Monomeric PVC
Finish	Grey satin	White matt	Finish	Yellow-green phosphorescent
Caliper	80µm	80µm	Caliper	410µm
Adhesive	Rubber, removable	Acrylic solvent, removable	Adhesive	Acrylic solvent, permanent
Liner	135 gsm Kraft paper	135 gsm Kraft paper	Liner	160 gsm PE coated paper
Widths (m)	1.524	1.524	Widths (m)	1.0
Durability	Outdoor 4 hours	Outdoor 4 hours	Durability	Outdoor 5 years
Substrates	Banners / Curtainsides	Metal	Substrates	Non porous substrates
	1	1	Print method	Screen Print



### **WW 100 Pro**

### Printable Film for Uneven Exterior Surfaces

A unique white glossy conformable film for textured walls.

#### Features & Benefits:

- Soft polymeric calendered PVC film for highly textured surfaces
- Grey opaque high-tack adhesive that bonds fast
- Excellent printability on all main platforms
- 5-year outdoor unprinted durability
- Available in 1.37m x 25m or 50m rolls


#### **Applications:**

- Medium-term applications
- Outdoor architectural graphics
- · Irregular and difficult substrates like bricks, sealed concrete & textured walls
- Can be laminated with LF 10500 UCG or LAG 100



### **WW 300**

### Printable film for Interior Walls



White matt film with high-tack grey adhesive.

- Calendered matt PVC film for ease of handling
- High-tack grey adhesive for great opacity and strong adhesion on many different surfaces
- Excellent printability on all main platforms

- Medium-term applications walls & floors
- Vertical and horizontal flat surfaces
- Difficult wall substrates
- Can be laminated with LF 8700 Series, LUV 6300 Series, FloorGrip, StreetLam, LUV 7036

# **WW Leather**Printable Textured Wall Film

White leather textured film with a high tack adhesive.

#### Features & Benefits:

- Thick PVC film for easy handling and installation
- High-tack grey adhesive for strong adhesion and opacity on many surfaces
- Outstanding and consistent image quality on all main print platforms
- Available in 1.37m x 30m rolls


#### **Applications:**

- WallWrap textured films for highly customised, top-of-the-range wall decoration
- Great choice for boutique premises, hotels, restaurants, commercial and work spaces, etc



## **DecoSilky**

### Printable Woven Polyester Textile




- Great opacity ensured
- Top-of-the-range, highly personalised wall coverings
- Available in 1.37m x 25m rolls

- Indoor decoration
- Boutique arrangements, hotels, restaurants, commercial and work spaces, etc

### **PERMAfun Textured**

### **Textured Laminating Film**



# • Fully compatible with JT 9700 and JT 9500 Series print films

interior design, hotel decoration, etc

### **PERMAfun Brushed Metal**

**Textured Laminating Film** 




#### Features & Benefits:

- Brushed texture, satin clear film
- Laminate MACal 9800 Pro range to give the appearance of brushed metal
- Laminate digital prints on JT 9700 Series and JT 9500 Series to give a special texture
- Can also be used to give a silk textile aspect to prints
- 5 years outdoor zone 1 durability
- Available in 1.37m x 50m rolls

### **PERMAfun Coarse Grain Wood**

**Textured Laminating Film** 



### **PERMAfun Carbon Clear-Pro**

Textured Laminating Film



#### Features & Benefits:

- Carbon fibre structured, clear film
- Laminate MACal 9800 Pro range to give the appearance of carbon fibre
- Laminate suitable digital prints on JT 9700 Series and JT 9500 Series to create carbon fibre effects
- 3 years outdoor zone 1 durability
- Available in 1.37m x 25m rolls

### WallCHALKER

Printable Blackboard Film





### **MACal Glass Decor Series**

### High-performance Polymeric Decorative Window Film



- Signage & Marking
- Exhibition, Hotels and Restaurants
- · Work spaces, Privacy screens, Window graphics
- Light boxes & Illuminated signs

Product	MACal Glass Decor 700	MACal Glass Decor 700 Colour	MACal Glass Decor 500
Technology	Translucent polymeric PVC	Translucent polymeric PVC	Translucent polymeric PVC
<b>S</b> Finish	Translucent matt	Translucent matt	Translucent matt
<b>©</b> Effect	Frosted, Dusted	5 frosted colours available	Icy
Caliper	80µm	80µm	75μm
Adhesive	Permanent acrylic solvent, Bubble Free (1.23m Frosted only)	Permanent acrylic solvent	Permanent acrylic solvent
Liner	135 gsm Kraft paper, BF 145 gsm PE coated paper	135 gsm Kraft paper	135 gsm Kraft paper, BF 145 gsm PE coated paper
Widths (m)	1.23 & 1.524	1.23	1.23& 1.524
Durability	5 years outdoor	5 years outdoor	5 years outdoor
Substrates	Glass / Plexiglass	Glass / Plexiglass	Glass / Plexiglass

### **JT 5790 Bubble-Free Series**

### Printable Polymeric Decorative Window Films



#### Features & Benefits:

- Matt translucent polymeric PVC films provide optimum balance between ease of handling & translucency
- Micro-structured Bubble Free technology, offering fast, easy and impeccable dry application
- Repositionable permanent clear adhesive
- Certified for HP inks
- 5 years outdoor durability
- Available in 1.37m x 50m rolls

#### **Applications:**

• Decorative or privacy on glass surfaces & windows, in offices, restaurants, museums, showrooms, shopping centres, privacy screens, etc.

Product	JT 5796	JT 5798
Technology	Polymeric PVC	Polymeric PVC
<b>©</b> Effect	Frosted	Dusted
Caliper	80µm	80µm
Adhesive	Repositionable permanent clear acrylic	Repositionable permanent clear acrylic
Liner	130 gsm PE coated liner	130 gsm PE coated liner
Widths (m)	1.37	1.37
Durability	Outdoor 5 years	Outdoor 5 years

### JT 5910 Series

### **Perforated Window Films**



- Features & Benefits:
- Perforated polymeric calendered film with black reverse for one way visibility
- Excellent printability on all print platforms
- Double liner prevents UV ink from bridging across the holes after printing
- 3 year outdoor unprinted durability
- Removable adhesive for easy, residue-free removal up to 1 year
- Laminate with LF 10500 UCG Ultra Clear to protect and provide optimal clarity

- JT 5915 RUV optimal image viewing suited to commercial and retail window advertising & branding
- JT 5919 RUV improved outward visibility and VLT for branding and promotions on passenger vehicles

Product	JT 5915 RUV	JT 5919 RUV						
Adhesive	Removable	Removable						
Perforation	1.5mm holes, 40% perforated	2mm holes, 50% perforated						
Liner	Perforated paper laminated to 2-side PE coated paper	Perforated paper laminated to 2-side PE coated paper						
Widths (m)	1.37 & 1.52	1.37 & 1.52						

### **LF 10500 UCG**

### Premium Ultra Clear Laminating Film



- **Applications:**
- Protection of perforated window films and WW 100 for difficult outdoor surfaces

· Helps protect printed images from UV light exposure and cleaning

• Short to medium-term indoor & outdoor applications on curved (2D) surfaces

• Suitable for internal and external applications on flat to slightly curved surface

· Vehicles, buses, trucks, displays, shop windows, point of sale

Product	LF 10500 UCG					
<b>S</b> Finish	Gloss ultra clear					
Adhesive	Permanent					
© Liner	Clear PET					
Widths (m)	1.37 & 1.52					







### **StreetRap**

### Printable Outdoor Floor Graphics Film



Matt white printable film for outdoor bitumen and concrete applications. Designed to be laminated with either FloorGrip or StreetLam.

#### Features & Benefits:

- Polymeric calendered PVC film
- High-tack adhesive provides excellent adhesion to difficult substrates like bitumen
- Good printability with latex, eco-solvent & solvent based digital inks
- 3 months durability if overlaminated with FloorGrip
- 6 months durability if overlaminated with StreetLam
- Available in 1.37m x 25m rolls

#### **Applications:**

- Graphics for bitumen floors such as pavements & parking lots
- Suitable for concrete and asphalt
- Fairs, Trade Shows, Retail outlets, Convention Centres, Public buildings, Safety messages, Schools, Sports and Entertainment venues

# StreetLam

High Grip Outdoor Laminating Film

Anti-slip clear satin laminate for outdoor floor applications.

#### Features & Benefits:

- Highly structured polymeric calendered PVC laminate that provides exceptional non-slip properties due to bonded abrasive particles
- Slip resistance rated R12, P5 & D1 per AS 4586-2013
- High-tack adhesive compatible with latex, eco-solvent, solvent & UV inks
- 6 month durability for pedestrian traffic on smooth surfaces when used with StreetRap
- Available in 1.37m x 25m rolls

- For short-term outdoor promotional floor graphics specially designed for use on bitumen and concrete
- Footpaths, parking spaces, public transport, exhibitions, events, signage, safety



### JT 8300 Dot Floors

### Printable Floor Graphics Film



New extension to JT 8300 Dot portfolio brings the power of the Dot adhesive to floor graphics without an anti-slip laminate.

#### Features & Benefits:

- Matt white low slip textured PVC film
- Slip resistance rated P2 & D1 per AS 4586-2013
- Clear removable dot patterned adhesive allowing easy application & removability without special tools
- Excellent direct printability on all main platforms
  - does not need an over-laminate
- Cost effective do not need to purchase both print film & laminate
- Available in 1.37m x 25m rolls

#### **Applications:**

 Offices, restaurants, museums, showrooms, shopping centres, etc.

# **FloorGrip**

### Highly Structured Anti-slip Laminating Film



Anti-slip clear matt laminate for indoor and outdoor floor applications.

#### Features & Benefits:

- Highly structured polymeric calendered PVC film
- Slip resistance rated R11, P3 & D1 per AS 4586-2013
- Protects floor graphics from UV and abrasion
- High-tack adhesive compatible with latex, eco-solvent, solvent & UV inks
- 3 month durability for pedestrian traffic on smooth surfaces when used with StreetRap
- 1 year durability with WW 300 for indoor floor graphics
- Available in 1.37m x 25m rolls

#### **Applications:**

· For indoor & outdoor floor graphics

### **LUV 6301**

### Sand Textured Anti-slip Laminating Film



Anti-slip sand textured laminate film for indoor floor graphics.

#### Features & Benefits:

- Semi-matt clear sand textured PVC film, slip resistance rated R9, P3 & D1 per AS 4586-2013
- High tack adhesive compatible with latex, eco-solvent, solvent
   UV cured inks does not affect the pH level of substrates
- Protects floor graphics from UV and abrasion
- · Eliminates glare
- Fully compatible with JT 8700 & JT 8500 series print films
- Indoor durability of 3 months on floors, 2.5 years on vertical displays
- Available in 1.37m x 50m & 1.524m x 50m rolls

#### **Applications:**

- Decorations or advertisements on indoor floors
- Floor graphics in damp environments
- Can be laminated to either one or both sides of photographic prints or transparencies.
- The material's flexibility allows images to be used in non-flat applications such as cylindrical displays
- Shopping centres, airports, work spaces, museums, swimming pool halls, etc

### **LUV 6300**


### Semi-Matt Anti-slip Laminating Film

Anti-slip laminate sand textured PVC film for indoor floor graphics.

#### Features & Benefits:

- · Semi-matt clear film
- Slip resistance rated R9, P3 & D1 per AS 4586-2013
- High tack adhesive compatible with latex, eco-solvent, solvent & UV cured inks
- Protects floor graphics from UV and abrasion
- Eliminates glare
- Does not affect the pH level of substrates
- Fully compatible with JT 8700 & JT 8500 series print films
- Indoor durability of 6 months on floors, 3 years on vertical displays
- Available in 1.37m x 50m rolls

- Designed to protect indoor and outdoor floor graphics
- Laminated to one or both sides of photographic prints or transparencies.
- The material's flexibility allows images to be used in non-flat applications such as cylindrical displays
- · Decorations or advertisements on indoor floors
- Shopping centres, airports, work spaces, museums





# Digital Print Media Guide

o mactac\_apac

mactacgraphics.eu



		Media	Durabili Unprint (Years) Zone 1, ve exposure	ed	Media Thickness (μm)	Finish	Matt Textured		Adhesive	Bubble-free (BF) / Dot pattern (D)	Opaque	ır Type	Recommende Laminates (Yec	ars)
Application Segment	Product Family	Products	Outdoor	Indoor	Medi (µm)	Gloss Satin	Matt Textu	Colour	Туре	Bub / Do	Opo	Liner	Outdoor Zone 2 ve warranty, printed & lar	
Branding & S	ignage (Gene	ral Graphics)												
		JT 9700 WG-BFG	7		70	•		White	Permanent	BF	•	2PE	LF 9700 Series	4
Premium Polymeric	JT 9700 Series	JT 9700 WG-PG	7		70	•		White	Permanent		•	2PE	Permafun (Carbon Pro)	
		JT 9700 WG-PT	7		70	•		White	Permanent			2PE	LUV 7036 & LAG 100	2
		JT 9500 WG-BFG	5		80	•		White	Permanent	BF	•	2PE	LF 9700 Series	3.5
Intermediate Polymeric	JT 9500 Series	JT 9500 WG-PG	5		80	•		White	Permanent		•	2PE	LF 9500 Series Permafun (Carbon Pro)	3 5 (2)
	56.165	JT 9500 WG-PT	5		80	•		White	Permanent		•	2PE	LUV 7036 & LAG 100	2
Advertising o	ınd Promotio	ns												
		JT 8500 WG-PG BF	3		90	•		White	Permanent	BF	•	2PE		
	JT 8500	JT 8500 WG-RG BF	3		90	•		White	Removable	BF	•	2PE	LF 8500 Series	2
	Series	JT 8500 WG-PT	3		90	•		White	Permanent		•	2PE	Permafun (Carbon Pro) LUV 7036 & LAG 100	1.5
Monomeric		JT 8500 WG-RG	3		90	•		White	Removable		•	2PE	<del></del>	
	JT 8300 Dot	JT 8300 White Matt-RT Dot	-	1	120	······································	•	White	Removable	D		CK		<u> </u>
	Series	JT 8300 Clear Gloss-RT Dot	-	1	120	•		Transparent	Removable	D	•	CK	-	
Walls & Deco	rations													
Textured Surfaces	WW Series	WW 100 Pro	3		55	•		White	High-Tack		•	2PE	LF 10500 UCG & LAG 100	2.5
		WW 300	4		100		•	White	High-Tack		•	CK	LF 8500 Series	2
Interior	WW Series	WW Leather	-	3	225		•	White	High-Tack		•	CK	·····-	
Walls		Deco Silky	-	3	135		•	White	Permanent			2PE		<u>-</u>
	wallCHALKER	wallCHALKER	4	5	120		•	Black	Removable			CK		
Windows & G	lass													
	JT 5790	JT 5796 B-Free Frosted	5		80		•	Translucent	Permanent	BF		2PE		
High Performance	Series	JT 5798 B-Free Dusted	5		80		•	Translucent	Permanent	BF		2PE		
Calendered	Perforated	JT 5915 RUV	3		150		•	40% 1.5mm holes	Removable		•	PEK	LE 10500 LICC	1
	Window Film	JT 5919 RUV	3		150		•	50% 2mm holes	Removable		•	PEK	LF 10500 UCG	1
Floor & Stree	t Graphics													
	StreetRap	StreetRap	6 mths	1	85		•	White	High-Tack			PEK		6 mths 3 mths
	JT 8300 Dot Series	JT 8300 WM-RT Dot Floors	-	3 mths	200		•	White	Removable	D		CK		

	aminating Films		<b>Durability</b> Unprinted (Years) Zone 1, veriexposure	Media Thickness (μm)		ish		Fextured	Liner Type	
Application Segment	Product Family	Products	Outdoor	Indoor	Medi (µm)	Glos	Satin	Matt	Text	Line
Branding & S	ignage (Ge	eneral Graphics)								
Premium	LF 9700	LF 9700 CG-UV	7		80	•				CK
Polymeric	Series	LF 9700 CM-UV	7		80			•		CK
Intermediate	LF 9500	LF 9500 CG	5		70	•				CK
Polymeric	Series	LF 9500 CM	5		70			•		CK
	Dry Erase	PG 7034	-	2	30	•				PET
Specialty	Anti-	LUV 7036	3		36	•				PET
Films	Graffiti	LAG 100	3		60		•			CK
	Ultra Clear	LF 10500 UCG	7		50	•				PET
Advertising o	nd Promo	tions								
Monomeric	LF 8500 Series	LF 8500 CG	2		70	•				CK
Monomenc		LF 8500 CM	2		70			•		CK
Walls & Deco	rations									
		PermaFun Brushed Metal	5		100				•	CK
	PermaFun Series	PermaFun Coarse Grain Wood	5		120				•	CK
		PermaFun Carbon Clear Pro	3		150				•	CK
Floor & Stree	t Graphics									
	StreetLam	StreetLam	6 mths	1	385				•	CK
	FloorGrip	FloorGrip	3 mths	1	150				•	CK
	LUV 6300	LUV 6300	-	6 mths	125				•	CK
	Series	LUV 6301	-	3 mths	100				•	CK

#### Liner Types:

2PE - 2 side PE coated

PET - Clear PET

PEK - PE Coated Kraft

CK - Coated Kraft Paper



41 -

## **Index**

DecoSilky	25
FloorGrip	33
JT 5790 Bubble-Free Series	31
JT 5910 Series	32
JT 8300 Dot	20
JT 8300 Dot Floors	37
JT 8500 Series	18
JT 9500 Series	12
JT 9700 Series	10
LAG 100	15
LF 8500 Series	19
LF 9500 Series	13
LF 9700 Series	11
LF 10500 UCG	33
LUV 6300	38
LUV 6301	38
LUV 7036	14
MACal 1069 Silver Mirror	21
MACal 8000 Fluorescent	21
MACal 8300 Pro	17
MACal 9800 Cast	8
MACal 9800 Pro	9
MACal Glass Decor Series	30
MACmask	22
MACphospho 110	22
PERMAfun Brushed Metal	26
PERMAfun Carbon Clear-Pro	27
PERMAfun Coarse Grain Wood	27
PERMAfun Textured	26
PG 7034	14
StreetLam	36
StreetRap	36
WallCHALKER	28
WW 100 Pro	24
WW 300	24
WW Leather	25



Graphic Art Mart offer films in a variety of widths and lengths, please check with your local branch for options



#### **EXCLUSIVE AUSTRALIAN DISTRIBUTOR**

#### **GRAPHIC ART MART**

www.gamart.com.au

#### **NEW SOUTH WALES OFFICES**

**NEWCASTLE** 11 Concord Street, Boolaroo NSW 2284

Email: newcastle@gamart.com.au

Phone: 02 4013 4500

**NORTH ROCKS** 

Unit 2, 25 Loyalty Road, North Rocks, NSW 2151 Email: nsw@gamart.com.au

Phone: 02 8843 0299

**PEAKHURST** 

Unit 7, 35-37 Norman Street,

Peakhurst, NSW 2210

Email: peakhurst@gamart.com.au

Phone: 02 9717 5700

#### **QUEENSLAND OFFICES**

**VIRGINIA** 

36 Vauxhall Street, Virginia, QLD 4014

Email: qld@gamart.com.au

Phone: 07 3025 5600

WILLAWONG

Tenancy 1.1 Cnr Gooderham and Burman Roads,

Willawong QLD 4110

Email: willawong@gamart.com.au

Phone: 07 3568 9400

#### **SOUTH AUSTRALIA OFFICE**

**EDWARDSTOWN** 27 Furness Avenue, Edwardstown, SA 5039 Email: sa@gamart.com.au Phone: 08 8275 9900

#### **VICTORIA OFFICES**

**MOUNT WAVERLEY** Building 6, 163-179 Forster Road, Mount Waverley, VIC 3149 Email: vic@gamart.com.au Phone: 03 8562 1000

**SUNSHINE** 

Factory 2, 177 Fairbairn Road, Sunshine West, VIC 3020 Email: sunshine@gamart.com.au

Phone: 03 8609 4300

#### **WESTERN AUSTRALIA OFFICE**

**BELMONT** 20 Brennan Way, Belmont, WA 6104 Email: wa@gamart.com.au

Phone: 08 9277 0600



### www.mactacgraphics.eu



contactmactac\_apac@mactac.eu



(o) mactac\_apac

#### Disclaimer:



All Mactac statements, technical information and recommendations are based on tests believed to be reliable but do not constitute a guarantee or warranty. All Mactac products are sold with the understanding that purchaser has independently determined the suitability of such products for its purposes. All Mactac products are sold subject to Avery Dennison's general terms and conditions of sale, see http://terms.europe.averydennison.com

Copyright © 2020 Avery Dennison Version1AU\_042020